



Bon®

PROFESSIONAL CONCRETE CONSTRUCTION TOOLS




Innovation, Value & Service since 1958

Many more sizes available. See www.bontool.com

STAINLESS STEEL EDGER WITH COMFORT WAVE HANDLE


- 6" x 4"



- #62-436 1/4" x 3/8"
- #62-441 3/8" x 1/2"
- #62-442 1/2" x 5/8"

BLUE STEEL SIDEWALK EDGER WITH COMFORT GRIP

- Flex to the right feel when edging
- Comfort grip handle
- 6" x 4"



- #22-718 1/8" x 3/8"
- #22-719 3/8" x 1/2"
- #22-720 1/2" x 5/8"

STAINLESS STEEL HAND CONCRETE GROOVER

- One end curved up
- Yoke bracket
- 6" x 3"



- #22-447 3/8" Radius
- #22-448 1/2" Radius
- #22-449 3/4" Radius

CONCRETE FINISH BRUSHES

- Threaded hole for standard broom handle or use #12-319 adapter
- Blue styrene fiber holds its shape longer than poly brushes



- #82-267 24"
- #82-268 36"
- #82-269 48"

TRUCK WASH BRUSH

- Foam plastic block
- Blue flagged tip styrene bristles
- Ideal for cleaning ready-mix trucks
- Standard broom thread
- Handle sold separately



- #84-957 8"
- #84-958 9"
- #84-959 10"

DUAL ANGLE WASH BRUSH

- Foam plastic block
- Blue flagged tip styrene bristles
- Ideal for cleaning ready-mix trucks
- Accommodates fountain type handle for water flow to bristles
- Handle sold separately



- #84-956 10"

STAINLESS STEEL CONCRETE BUL- LET™ WALKING GROOVERS

- Ultra hard cast stainless steel
- Turned up leading edge
- 6" x 4-1/2"



- #88-403 1/2" x 3/8"
- #88-280 3/4" x 7/8"

STAINLESS STEEL BULLET™ GROOVER WITH COMFORT WAVE HANDLE

- Longer lasting
- Excellent tensile and torque strengths
- Glide effortlessly through concrete
- 6" x 4-1/2"



- #89-303 1/2" x 3/8"
- #89-304 3/4" x 7/8"



Bon has been a trusted source for building tools since 1958. Visit your local Bon Distributor or go to www.bontool.com to see full line.

Highest Grade Finishing Trowels Available


STEEL CITY TROWELS

by Bon®

Featuring . . .


- Lightweight & Durable Shank
- Beveled Working Edges
- Exclusive Copper Rivet System
- Flexible Heat Tempered Blade
- Premium Blade Materials
- Over 250 Options

Golden Stainless Steel
Razor Stainless Steel
Carbon Steel
Flex Blue Steel
Ultra Flex Blue Steel



ALUMINUM FLOAT PAN BLADE

- Cut and finish in a single pass
- 9" center to center hole spacing
- For use on Bon's Pony Power Screenshot (#82-546) and Bon Mustang Power Screenshot (#82-547)
- The rounded ends of the blade make it easy to go around obstacles



#82-492 4'
#82-495 10'
#82-498 16'

MUSTANG POWER Screenshot

- Reliable performance and operator comfort
- All angle ergonomic handle provides 360-degree quick adjustment for less fatigue
- Powerful 1.6 HP Honda GX35 U type 4 stroke engine
- Handlebar throttle control
- Tilt-up stand keeps unit upright
- Use quick change Aluminum Pan Screenshot Blades - sold separately



#82-547 Mustang Screenshot

PONY POWER Screenshot

- Heavy rubber mounts to reduce the vibration level on the handle
- One piece casting body easy connect to engine
- Emergency shut off switch available
- Use quick change Aluminum Pan Screenshot Blades - sold separately



#82-546 Pony Screenshot

ROUND END BLUE STEEL FRESNO WITH ROCK N' ROLL BRACKET


- High grade blue steel blade
- Exclusive universal mounting system equipped with Bon Rock n' Roll Bracket (#12-946)
- Full up or down pitch with half turn



#82-349 24" x 5"
#82-350 30" x 5"
#82-351 36" x 5"

SPRING STEEL FRESNO WITH ROCK N' ROLL BRACKET

- Rock n' Roll Adjustable Bracket included (#12-946)
- High grade spring steel
- Round ends
- 5" wide



#82-505 24" X 5"
#82-506 30" X 5"
#82-507 36" X 5"

BIG BLUE BULL TROWEL WITH WORM GEAR BRACKET

- Flexible blue steel blade
- Rounded ends eliminate lap marks
- U-channel back bone
- Worm Gear Adjustable



#22-525 36" x 12"
#22-526 42" x 12"
#22-527 48" x 12"

RUBBER FLOAT

- Very compact and dense molded rubber face
- Aluminum backing
- Fitted with a plastic handle
- 9" x 4" x 5/8"



#12-278 Float

MAHOGANY TAPERED DARBY WITH WOOD HANDLE

- Tapered blade is 3-1/2" wide on one end and 2-1/4" wide on the other
- Wood handle



#82-107 24"
#82-108 30"

BEVEL-END CAST MAGNESIUM FLOAT WITH COMFORT GRIP


- A popular float that has the strength of casting
- Broken in blade has rounded corners
- 16" x 3-1/2"



#22-122 Float

WOOD BULL FLOAT

- Includes Bon's Universal Mounting System
- 3/4" thick
- Use any Bon bull float bracket (not included)



#82-436 24"
#82-437 36"
#82-438 48"

2-HOLE MAGNESIUM BULL FLOAT WITHOUT BRACKET

- High purity extruded magnesium
- Bracket not included



#22-161 42" Round End
#22-189 42" Square End

ROUND END MAGNESIUM CHANNEL FLOATS


- 6" wide bottom 2" high sides
- Uses any Bon Tool 2-hole or 4-hole bracket (not included)



#12-735 48"
#12-740 60"
#12-736 72"

KANGAROO COMBO SCREED WITH BUILT-IN LEVEL

- Uses as a screed, float or checking rod
- Screed base features a square edge for cutting and filing and a rounded edge for floating
- Ribbed handle has built-in bubble level



See www.bontool.com
for other sizes

#82-463 6'
#82-465 10'
#82-466 12'

WORMGEAR ADJUSTABLE BRACKET

- Smooth movements when tilting action is desired
- Tough aluminum alloy casting
- Use any 2-hole or 4-hole Bull Floats



#12-372 Bracket

ROCK 'N ROLL® ADJUSTABLE BRACKET

- Full up or down pitch with only 1/2 turn to the handle
- High strength aluminum casting with heavy duty mechanism
- Fits most 2-hole and 4-hole bull floats or fresnos



#12-946 Bracket

RITE-HEIGHT® ADJUSTABLE BRACKET WITH CABLE

- Work at comfortable hip height,
- Float pitch is controlled with a single turn of the handle
- Fits most 2-hole and 4-hole bull floats



#12-263 Bracket

1-3/8" ALUMINUM THREADED BULL FLOAT HANDLE

- Coated aluminum tubing prevents hands from turning black from aluminum oxidation
- Threads are easy to clean, easy to join and fit most standard handles and adapters



#12-295 4'
#12-296 6'

1-3/8" 'WESTERN' BUTTON ALUMINUM SWAGED BULL FLOAT HANDLE


- Made of thick anodized aluminum
- Easily locks handles in place with quick snap springs
- Will not loosen during use
- Aluminum tubing with coating prevents hands from turning black from aluminum oxidation



#12-147 6'
#12-229 8'

1-1/2" FIBERGLASS BUTTON HANDLE


- Safe to use around electrical power lines, although caution should always be taken when using handles around any electrical source
- Will not loosen during use



#12-733 6'

REBAR CUTTER BENDER

- Made of rugged cast iron
- 54" steel handle
- 3/4" jaw capacity designed for cutting up to 5/8" rebar
- Includes wood board



#12-359 Cutter/Bender

OPEN END REBAR CUTTER/BENDER


- Cuts up to and including 1/2" diameter rod
- Jaws are made from high carbon alloy tool steel
- Can be mounted on board or bolted to floor



#12-690 Cutter/Bender

HICKEY BENDER

- Tubular steel with iron heads
- Heavy duty
- For use on #3 and #4 rebar
- 24"



#22-765 Single End
#22-766 Double End

ALUMINUM TIE WIRE REEL

- Made from cast aluminum with steel reinforced wear parts
- Designed for either left or right hand use
- Large re-wind knob provides smooth operation



#12-369 6-1/4"

AUTOMATIC TIE WIRE TWISTER

- Knuckled rubber grip
- 2-1/2 twists per pull
- Comfort handle



#82-185 Wire Twister

BOLT CUTTERS

- Cuts rebars, hard steel, iron, stainless steel, soft metal and non-ferrous metal



#82-178 18"
#82-176 24"
#82-173 30"

Bon PRO PLUS

MAGNESIUM SCREEDS

- Extra thick edges and cast end caps won't rust, rot, or load up with mud
- High purity magnesium

BEST SCREEDS IN THE INDUSTRY!

WORK EDGES ARE THICKER
TO LAST LONGER...



#12-686 2'
#12-126 6'
#12-117 8'

CALIFORNIA CONCRETE TAMPER

- Heavy duty reinforcements
- Welded construction
- Light-weight
- Low profile pan
- Special splash away diamond pattern mesh bottom



#48-141 34"
#48-142 48"
#48-143 60"

SLUMP TEST KIT

- Meets ASTM requirements
- Kit Contains:
 - #12-718; Slump Tamping Rod
 - #82-480; Steel Slump Cone
 - #12-849; Slump Scoop
 - #12-716; Slump Test Pan
 - #82-483; 5" Strike Off Trowel
 - #84-163; Wire Brush



#82-485 Kit

CONCRETE TEXTURE COMBS

- Heavy duty wire drag brush
- Flat replaceable 1/8" stainless steel tines are securely mounted
- 3/4" spacing



See www.bontool.com
for other sizes

#12-488 24"
#12-489 36"
#12-490 48"

ROUND END BLUE STEEL FRESNO WITH SWIVEL ALL-ANGLE BRACKET


- High grade blue steel blade
- Exclusive Bon universal mounting system
- Equipped with Bon Swivel All-Angle Bracket (#22-113)



#82-344 24"
#82-345 30"
#82-346 36"

ALUMINUM CONCRETE PLACER

- One piece welded construction head to handle
- Coated handle
- 19-1/2" x 4" blade



#22-212 With Hook
#22-217 Without Hook

RED LINE VEGAS GROOVER WITH SERRATED BIT

- Ideal for cutting long straight control joint
- Straight style bit 1-3/4" deep
- High grade aluminum



#22-385 36"
#22-386 48"

GEL KNEE PADS

- Accordion design provides comfort
- Gel center for maximum cushioning
- Soft outer-shell won't mark surfaces
- Sold in pairs



#84-947 Knee Pads

STAINLESS STEEL TURNED-UP KNEE BOARDS WITH RUBBER PADS


- Heavy-duty 16 gauge stainless steel
- Made with curved ends to prevent digging in
- Slotted for knee pads
- 30" x 8"



#22-166 Knee Boards

FOAM KNEELER BOARD

- Comfortable, soft support
- Made of foam polyurethane
- Heavy duty waterproof plastic tray
- Washable and chemical resistant
- 24" x 14"



#12-604 Kneeler Board

STAINLESS STEEL TURNED-UP KNEEBOARDS WITH KNEE PADS

- Heavy-duty 16 gauge stainless steel
- Turned up ends prevent digging in
- Includes Heavy Duty Contoured Knee Pads (#12-109)
- 30" x 8"



#82-145 Knee Boards

Bon[®]

✓ *Fast shipping from two fully stocked distribution centers*

✓ *Knowledgeable and friendly customer service*

✓ *Competitive pricing*

✓ *Free freight on qualifying orders*

✓ *Easy ordering and no minimums*



STAY CONNECTED



PH: 800-444-7060

WWW.BONTTOOL.COM

Bon Tool Co.
4430 Gibsonia Rd.
Gibsonia, PA 15044 • USA


Phone 800-444-7060
www.bonttool.com

Change service requested

PRESORT STD
PAID
US POSTAGE
BON TOOL CO

ALUMINUM STRAIGHT END CONCRETE CHUTE


- Made from 1/8" thick durable aluminum alloy and reinforced with cross braces
- Adjustable chain
- 8" high, straight end



#12-393 8'
#12-385 12'
#12-386 16'
#12-346 20'

ALUMINUM FLARED END CONCRETE CHUTE

- Made from 1/8" thick durable aluminum alloy and reinforced with cross braces
- Adjustable chain
- 8" high, flared end



#12-813 8'
#12-814 12'
#12-815 16'
#12-816 20'

BLUE MULE PLACER

- 4-1/4" wide aluminum head
- 60" wood handle



#82-761 20" Blade
#82-762 30" Blade
#82-763 48" Blade