



PROFESSIONAL TOOLS FOR CONCRETE RESTORATION



Innovation, Value & Service since 1958

7/16" SPIKED ROLLER WITH BRACKET

- Made from rigid plastic sharp spikes
- Removes trapped gas bubbles from floor coating applications
- Equipped with bracket for use with tapered handle (sold separately)
- Replacement spikes available

#22-225 20"
#22-226 30"



Bon

3/16" SPIKED ROLLER WITH BRACKET

- Made from rigid plastic sharp spikes
- Removes trapped gas bubbles from floor coating applications
- Equipped with bracket for use with tapered handle (sold separately)
- Replacement spikes available

#82-913 20"
#82-914 30"




Bon

1-1/4" SPIKED ROLLER WITH BRACKET

- Made from rigid plastic sharp spikes
- Removes trapped gas bubbles from floor coating applications
- Equipped with bracket for use with tapered handle (sold separately)
- Replacement spikes available

#82-916 20"
#82-917 30"



Bon

#22-812 3-PIECE ALUMINUM HANDLE


- Sections easily snap together to form a 5' handle
- Standard broom handle with male threaded end
- Easy fit in a Bon mixing barrel (#22-816)

#22-812

WOOD HANDLES

- Strong hardwood

#12-332 60"
#12-404 54"



Bon

SPIKED ROLLER WITH HANDLE

- Made from rigid plastic sharp spikes
- Removes trapped gas bubbles from floor coating applications
- Equipped with 17" paint roller type handle

#22-224 7/16" Spikes
#82-912 3/16" Spikes
#82-915 1-1/4" Spikes



Bon

REPLACEMENT SPIKES

- Made from rigid plastic spikes
- For use with Bon Spiked Rollers

#50-252 7/16" Spikes
#50-253 3/16" Spikes
#50-254 1-1/4" Spikes



#50-252



#50-253



#50-254

Bon

#15-467 ADJUSTABLE ROLLER FRAME

- Adjustable from 12" to 18"
- Replaceable end caps prevent material from building up inside the roller



Bon

"PORKY" SPIKED ROLLER

- Needle-pin design eliminates gas bubbles formed in epoxy floor coatings
- Relives surface tension in one pass
- Roller frame sold separately (#12-857)

#12-855 9" with 1/2" Spikes
#12-854 18" with 1/2" Spikes
#82-909 9" with 1-1/4" Spikes
#82-908 18" with 1-1/4" Spikes



Bon

9" ROLLER COVER

- Dralon cover
- Reusable, solvent resistant core

#84-889 3/8" Nap
#84-107 1/2" Nap
#84-108 3/4" Nap
#84-109 1-1/4" Nap




Bon

18" ROLLER COVER

- Dralon cover
- Reusable, solvent resistant core


#15-421 3/8" Nap
#15-217 1/2" Nap



Bon

#22-152 PHENOLIC ROLLER

- Solvent-resistant for spreading and leveling mastics, anti-slip floor toppings and heavy coatings



Bon

ULTRA SMOOTH BASE TOOL

- Ultra smooth, no spot weld marks
- Wood wave handle
- 6" x 1-1/2"
- 3/4" radius


#82-786 4" Lip
#82-787 6" Lip
#82-788 8" Lip
#82-789 12" Lip



#82-786



#82-787



#82-788



#82-789

Bon PRO PLUS

EPOXY BASE TOOL - 4" LIP

- This stainless steel based tool has a top return of 1/2" lip, 1/4" radius
- Wood wave handle
- 1-1/4" batter
- 6" x 6"

#22-813 1/2" Radius
#22-814 3/4" Radius
#22-815 1" Radius



Bon

EPOXY BASE TOOL - 6" LIP

- This stainless steel based tool has a top return of 1/2" lip, 1/4" radius
- Wood wave handle
- 1-11/16" batter
- 6" x 6"

#12-810 1/2" Radius
#12-811 3/4" Radius
#12-812 1" Radius



Bon

BASE TOOL - 6" LIP

- Wood wave handle
- Stainless steel
- 6" x 6"

#12-472 1/2" Radius
#12-473 3/4" Radius
#12-474 1" Radius




Bon

#12-468

EPOXY COVE TOOL WITH RETURN

- Stainless steel cove base tool creates a 1-1/2" cove, with a 1-1/2" batter
- Wood wave handle
- 3/8" radius
- 1-3/4" lip



Bon

EPOXY COVE TOOL

- Wood wave handle
- 6" X 1-1/2"
- 3/4" radius

#22-595 4" Lip
#22-596 6" Lip
#22-597 8" Lip
#22-598 12" Lip



Bon

INSIDE STEP TOOL

- Blue Steel
- 6" x 6"
- 6" lip

#82-230 3/8" Radius
#82-231 1/2" Radius
#82-232 3/4" Radius
#82-244 5/8" Radius



Bon

MUD & RESIN MIXER

- For 1 to 2 gallon container
- Stainless steel construction
- Two vertical blades keep the mixing action inside the cage of the tool
- Unique design prevents puncturing or damaging mixing container

#15-180 2-5/8" Dia 10-1/4" Shaft
#15-181 5" Dia 19" Shaft



Bon

"RUGBY BALL" MIXER

- Use to mix high viscosity and cementitious material
- Platted finish
- 9-15/16" x 5-7/8" paddle

#82-390 24" x 3/8" Hex Shaft
#82-393 36" x 7/16 Hex Shaft



Bon

"BIRDCAGE" MIXER

- 7-9/16" x 4-1/4"

#82-392 19-1/2" x 3/8" Hex Shaft
#82-399 30" x 3/8" Hex Shaft



Bon

#22-899

SELF-LEVELING TOOL KIT

- Complete kit includes all the items required to mix and install self-leveling products

Includes 1 each:

- 22-816 Mixing Barrel
- 22-812 3-pc. Aluminum Handle
- 22-369 5 liter Measuring Pitcher
- 22-599 Spiked Sandals
- 82-390 Barrel Mixer
- 22-210 Finisher
- 22-689 24" Gauge Rake Head
- 82-289 Leveling Pins (50/pkg)



Bon

#82-911

TRANSPORTING & POURING STEEL BARREL CART

- Fits 15-gallon drums
- Efficient one-man operation for mixing, transporting and pouring materials
- All steel construction
- Equipped with four swivel casters
- Toggle latch to hold barrel firmly in place



Bon

#22-816

MIXING BARREL

- 15 gallon plastic
- Specially designed handles for added comfort and ease
- Lid and clamping ring included




Bon

#22-369

5 LITER MEASURING PITCHER

- Used to measure viscous materials
- Measurements for both metric volume in liters and milliliters



Bon

#34-165

9-QUART MEASURING PAIL

- Plastic bucket with wide top opening
- Measurements on side
- Metal handle



Bon

MULTI-USE MIX CONTAINERS

- See through body in natural polyethylene
- Calibrated measurements printed on outside of pail (ounces, liters and quart)
- Solvent-resistant

- #34-166 1 Qt.
- #34-167 2-1/2 Qt.
- #34-168 5 Qt.



Bon

#34-164

5-GALLON CLEAR MEASURING PAIL

- Calibrated in liters, quarts and gallon markings
- Clear 90 mil heavy duty plastic with reinforced upper rim for extra durability
- Sturdy metal handle with foam comfortable grip
- Multi use solvent-resistant pail



Bon



#84-231

5-GALLON PLASTIC BUCKET

- Strong plastic bucket with reinforced rings around the top to prevent distortion when carrying
- Uniform wall thickness for stacking strength
- Used for paints, coatings, water sealants, varnishes, asphalt coatings and more
- Lids sold separately



Bon

#82-907

TRANSPORTING & POURING BUCKET CART

- Fits standard 5-gallon bucket
- Eliminate accidental spilling during transporting and pouring materials
- Handle is designed for pour from left to right side
- Equipped with 4 swivel casters



Bon

#82-289

LEVELING PINS

- Use self-adhesive pins for consistent and level pour depths
- Cut to desired height and apply to substrate
- Provide visual guide
- One side is graduated in inches from 3/16" to 2-1/2"
- One side is graduated in millimeters from 5 to 65 mm
- Sold in package of 50



Bon

GAUGE RAKE WITH SLEDS

- Adjusts for 0" to 2"
- 5' wood handle with metal threaded end included
- Thin sleds make a minimal disturbance in application

#12-689 24"


#12-820 36"

#22-689 24" Head Only

#50-584 Replacement Sled

#82-764 36" Head Only

#12-342 Replacement Handle



Bon

GAUGE RAKE WITH PINS

- Adjusts from 0" to 2"
- 5' wood handle with metal threaded end included
- 1/4" pin style slides for less disturbance in application

#22-356 24"

#50-585 Replacement Pin



Bon

#82-801

OVERLAY SMOOTHER WITH HANDLE

- 24" tempered stainless steel blade
- Aluminum ribbed backing to assure straightness



Bon

#82-805

OVERLAY SMOOTHER WITH BROOM HANDLE BRACKET

- 24" tempered stainless steel blade
- Aluminum ribbed backing to assure straightness



Bon

#22-210

CONCRETE TOPPING SPREADER

- 3" stainless steel blade
- Sold without handle
- Use standard broom threaded handle (sold separately) (#12-342 or #22-812)



Bon

#82-803

OVERLAY NOTCHED SPREADER

- 24" tempered stainless steel blade
- Aluminum ribbed backing to assure straightness
- 1/8" square notch



Bon

#82-804

NOTCHED BLADE WITH BROOM HANDLE BRACKET

- 24" tempered stainless steel blade
- Aluminum ribbed backing to assure straightness
- 1/8" square notch



Bon

#14-917

MICRO TOPPING SMOOTHER

- Replaceable flex thin blue steel blade set at the right angle
- Equipped with a 60" hardwood handle



Bon

WIZARD SQUEEGEE

- Flexible and soft blade is used to smooth the surface of applied cementitious overlays
- Works best for overlays of a more fluid consistency
- Very effective to create flawless surface
- Broom threaded handle can be added for a longer reach

#15-430 12"

#15-431 14"

#15-431 18"

#15-433 22"

#15-433 22"

#15-433 22"



Bon

MICRO TOPPING SQUEEGEE

- Very lightweight, easy-to-control squeegee
- Co-extruded blade and frame
- Threaded socket fits standard broom handle
- Blade is not replaceable

#82-780 18" With No Notch

#82-781 18" With 1/8" Notch

#82-782 18" With 3/16" Notch

#82-783 22" With No Notch

#82-784 22" With 1/8" Notch

#82-785 22" With 3/16" Notch




Bon

#82-330

NOTCHED MICRO TOPPING FLOOR SQUEEGEE

- Designed with 1/4" wide by 3/16" deep notches to provide uniform spreading
- Rubber blade is 1/4" thick by 1-3/4" wide
- Uses standard tapered handle sold separately (#12-332)



Bon

CLAMP STYLE SQUEEGEE

- Clamp style for easy blade changes
- 24" heavy duty aluminum body
- Features metal thread for use with standard broom thread handles
- Solvent-resistant
- Blades sold separately


#34-147 Squeegee Bracket

#34-153 Clamp Style Blade - No notch

#34-154 Clamp Style Blade - 1/8" V-notch

#34-155 Clamp Style Blade - 3/16" V-notch

#34-156 Clamp Style Blade - 1/4" V-notch



Bon



#34-145

DOUBLE BLADE FLOOR SQUEEGEE

- Rust-resistant, rigid galvanized steel frame
- Strong and lightweight
- Universal socket with built-in screw
- Use Bon tapered handle sold separately (#12-332)



Bon

SQUEEGEE REPLACEMENT BLADE

#34-143 24" Replacement Blade

#34-144 36" Replacement Blade



Bon

#82-799

SPIKED SANDALS 1-1/4" SPIKE

- Used for installing epoxy floors
- Spikes are firmly attached to flexible plastic sole with nylon straps
- Use with steel toe safety shoes
- Easy to adjust hook and loop fabric straps at toe and ankle
- Sold in pairs



Bon

#22-599

SPIKED SANDALS 3/4" SPIKE

- Used for installing epoxy floors
- Spikes are firmly attached to flexible plastic sole with nylon straps
- Use with steel toe safety shoes
- Easy to adjust hook and loop fabric straps at toe and ankle
- Sold in pairs



Bon

#14-712

8" RAZOR FLOOR SCRAPER

- 8" replaceable razor sharp edge
- The handle adjusts and locks with a twist
- Not recommended for heavy duty prying floor removal



Bon

Bon[®] Advantage

- ✓ Large selection of professional grade tools for the building trades - see all at www.bontool.com or request a full-line Master Catalog.
- ✓ Fast shipping from two fully stocked distribution centers
- ✓ Knowledgeable and friendly customer service
- ✓ Competitive pricing
- ✓ Free freight on qualifying orders
- ✓ Easy ordering and no minimums

Stay Connected



Ph: 800-444-7060
www.bontool.com

#20-305

CONCRETE RESTORATION TOOL MERCHANDISER

- Display measures 40" (w) x 79" (h)
- Includes display unit, tool assortment and hooks

- 22-816 15 Gal Mixing Barrel (1)
- 82-289 Leveling Pins (50/pkg) (3)
- 22-599 Spiked Sandals (pr) (3)
- 22-224 9" Spiked Roller (2)
- 22-225 20" Spiked Roller (1)
- 15-431 14" Smoothing Trowel (3)
- 15-433 22" Smoothing Trowel (3)
- 82-330 Notched Floor Squeegee (2)
- 15-393 Egg Beater Mixer (2)
- 22-369 5 liter Measuring Pitcher (2)
- 22-596 Cove Tool 6" Lip (2)
- 22-597 Cove Tool 8" Lip (2)
- 22-689 Epoxy Spreader (2)
- 34-164 Clear Mixing Bucket (3)
- 34-166 1 Qt. Clear Mixing Pail (3)
- 34-167 2-1/2 Qt. Clear Mixing Pail (3)
- 34-168 5 Qt. Clear Mixing Pail (3)
- 20-806 4-1/2" Single Hook (11)



Bon

T-BAR COATING APPLICATOR

- For solvent and water based self-leveling coatings and epoxies
- Flawless finish without streaks or bubbles
- Hand grip accepts standard broom thread handle

- #82-552 18" Lightweight
- #82-553 24" Lightweight
- #82-554 18" Heavyweight
- #82-555 24" Heavyweight



Bon

T-BAR COATING APPLICATOR COVER

- Provides lint-free finish
- Nylon cover recommended for water-based and mild solvent based finishes
- Woven cover recommended for oil and mild solvent based coatings

- #82-556 18" Nylon Foam
- #82-557 24" Nylon Foam
- #82-558 18" Woven Fabric
- #82-559 24" Woven Fabric



Bon

To see full product
line request

Bon's Master Catalog
at www.bontool.com
or call 800-444-7060




Bon

Innovation, Value & Service since 1958

#19-190

36" OVERLAY SQUEEGEE

- Clamp style frame provides easy blade installation
- 3" rounded blade can be installed upside down for double the life
- Equipped with 72" aluminum handle



Bon

DISPOSABLE NITRILE GLOVES

- Lightweight 4 mil 100% nitrile latex glove
- Powder free
- Ambidextrous design
- Sold in packages of 100 only


- #34-253 Medium
- #32-254 Large
- #34-255 Extra large



CONCRETE TROWEL

- Carbon steel blade
- Projection riveted
- Long shank
- Wood handle

- #82-290 12" x 4"
- #82-291 14" x 4"
- #82-292 16" x 4"



Bon TRADE TOUGH



Bon[®]

Large selection of

CONCRETE

RESTORATION TOOLS

**See our complete line or
request a catalog at
www.bontool.com**

Bon Tool Co.
4430 Gibsonia Rd.
Gibsonia, PA 15044 • USA

PLACE YOUR ORDER TODAY!

Phone 800-444-7060

FAX 800-444-7065

www.bontool.com

Change service requested

PRESORT STD
PAID
US POSTAGE
BON TOOL CO